# Oscilloscope Probe Kit Model. HP-9258



#### Introduction

The HP-9258 is a low-input capacitance high voltage oscilloscope probe designed and calibrated for use with instruments having an input impedance of 1  $\dot{\rm M}\Omega$  shunted by 20 pF. However, it may be compensated for use with instruments having an input capacitance of 10 to 35 pF.


#### Safety Instructions

Review the following safety precautions to avoid injury and prevent damage to this product or any products connected to it.

- To avoid potential hazards, use this product only as specified.
- The common terminal is at ground potential. Do not connect the common terminal to elevated voltages.
- Do not operate in an explosive atmosphere.
- · Keep product surfaces clean and dry.
- If your probe requires cleaning, disconnect it from the instrument and clean it with mild detergent and water. Make sure the probe is completely dry before reconnecting it to the instrument.

### Compensation Adjustment

The following adjustment is required whenever the probe is transferred from one oscilloscope or input channel to another. Connect the probe to the oscilloscope, apply a 1KHz square wave to the probe tip and adjust the oscilloscope controls to display a few cycles of the waveform. Adjust the trimmer located in the BNC plug for a flat topped square wave.



## **Specifications**

Attenuation Ratio 100:1

Bandwidth DC to 250MHz

Rise Time 1.4nS

Input Resistance  $100 \mathrm{M}\Omega$  when used with oscilloscopes

which have 1M  $\!\Omega\!$  input.

Input Capacitance Approx. 5.5 pF

Compensation Range 10 to 35 pF

Working Voltage 1500Vrms CAT II (2000V DC incl. peak AC)

derating with frequency, see Fig.1

Operating Temperature -10°C to +55°C

Humidity 85% RH or less (at 35°C)
Safety Meets EN61010-031 CAT II

Cable Length 1.3 Meter

# Accessories

Description	Part No.
Channel Identifier Clip	PA-105
Sprung Hook	PA-106
Ground Lead	PA-107
Insulating Tip	PA-108
tC Tip	PF-902
Adjusting Tool	PF-903
Measuring Tip	PA-102
BNC Adapter	PF-901

# **Voltage Derating Curve**




Fig.1