



# 10 SERIES

## ESD CLEANROOM VINYL

**UNLOCK SAVINGS WITH SUPERIOR COMPONENT SOURCING**

Benefit from our expertise in sourcing and cost reduction. Contact Diverse Electronics to enhance your procurement strategy.

**SUBMIT AN RFQ TODAY**



AL10-VCC

AL12-VCC

PL10-VCC

PL12-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AL10-VCC	ESD-Cleanroom Vinyl	21"-31"	20"W x 18"D	15"W x 12"H	20"	Polished Aluminum	No	9
AL12-VCC	ESD-Cleanroom Vinyl	17"-22"	20"W x 18"D	15"W x 12"H	No	Polished Aluminum	No	9
PL10-VCC	ESD-Cleanroom Vinyl	21"-31"	20"W x 18"D	15"W x 12"H	20"	Black Nylon	Yes	1
PL12-VCC	ESD-Cleanroom Vinyl	17"-22"	20"W x 18"D	15"W x 12"H	No	Black Nylon	Yes	1

**Conductive Cleanroom Seating Features:**

• Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.  
 • Flameability: Pass California Tech Bulletin 117  
 • Carbon Filled Inner Layer

Industrial Seating™conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system.

## Isstat Group IV Vinyls ESD



Blue-411

Black-451

Burgandy-461

- 
- Surface Resistance:  $10^7$  to  $10^9$  Ohms per Square.
  - Flamability: Pass California Tech Bulletin 117
  - Carbon Filled Inner Layer
-



AM10-VCC



AM12-VCC



PM10-VCC



PM12-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AM10-VCC	ESD-Cleanroom Vinyl	21"-31"	20"W x 18"D	16"W x 16"H	20"	Polished Aluminum	No	9
AM12-VCC	ESD-Cleanroom Vinyl	17"-22"	20"W x 18"D	16"W x 16"H	No	Polished Aluminum	No	9
PM10-VCC	ESD-Cleanroom Vinyl	21"-31"	20"W x 18"D	16"W x 16"H	20"	Black Nylon	Yes	1
PM12-VCC	ESD-Cleanroom Vinyl	17"-22"	20"W x 18"D	16"W x 16"H	No	Black Nylon	Yes	1

**Conductive Cleanroom Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IS™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IS™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411

Black-451

Burgandy-461



AE10-VCC



AE12-VCC



PE10-VCC



PE12-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back


MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AE10-VCC	ESD-Cleanroom Vinyl	21"-31"	20"W x 18"D	19"W x 16.5"H	20"	Polished Aluminum	No	9
AE12-VCC	ESD-Cleanroom Vinyl	17"-22"	20"W x 18"D	19"W x 16.5"H	No	Polished Aluminum	No	9
PE10-VCC	ESD-Cleanroom Vinyl	21"-31"	20"W x 18"D	19"W x 16.5"H	20"	Black Nylon	Yes	1
PE12-VCC	ESD-Cleanroom Vinyl	17"-22"	20"W x 18"D	19"W x 16.5"H	No	Black Nylon	Yes	1

**Conductive Cleanroom Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IS™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IS™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgandy-461



DLC



ST



FLC

Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle)
ST	Height and Seat and Back Tilt ( This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back



FR04



FR05



FR06

Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring. (option
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



TF-BX-C



TA-BX-C



TAA-BX-C

Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



9B



9U



9UB



11

Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility



# 20S SERIES

ESD CLEANROOM VINYL



AM20S-VCC



AM22S-VCC



PM20S-VCC



PM22S-VCC

Super Heavy Duty 450 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back


MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AM20S-VCC	ESD Cleanroom	21"-31"	18"W x 18"D	16"W x 16"H	18"	Polished Aluminum	No	9
AM22S-VCC	ESD Cleanroom	17"-22"	18"W x 18"D	16"W x 16"H	No	Polished Aluminum	No	9
PM20S-VCC	ESD Cleanroom	21"-31"	18"W x 18"D	16"W x 16"H	18"	Black Nylon	Yes	1
PM22S-VCC	ESD Cleanroom	17"-22"	18"W x 18"D	16"W x 16"H	No	Black Nylon	Yes	1

**Conductive Cleanroom Seating Features:**

Industrial Seating™ conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411

Black-451

Burgandy-461



AL20S-VCC



AL22S-VCC



PL20S-VCC



PL22S-VCC

Super Heavy Duty 450 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back


MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AL20S-VCC	ESD Cleanroom	21"-31"	18"W x 18"D	15"W x 12"H	18"	Polished Aluminum	No	9
AL22S-VCC	ESD Cleanroom	17"-22"	18"W x 18"D	15"W x 12"H	No	Polished Aluminum	No	9
PL20S-VCC	ESD Cleanroom	21"-31"	18"W x 18"D	15"W x 12"H	18"	Black Nylon	Yes	1
PL22S-VCC	ESD Cleanroom	17"-22"	18"W x 18"D	15"W x 12"H	No	Black Nylon	Yes	1

**Conductive Cleanroom Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411

Black-451

Burgandy-461



DLC



ST



FLC

Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle adjustment and back height adjustment with knob)
ST	Height and Seat and Back Tilt ( This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back tilt adjustment and height back adjustment with knob and a seat tension knob



FR04



FR05



FR06

Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring. (option
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



TF-BX-C



TA-BX-C



TAA-BX-C

Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



9B



9U



9UB



11

Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility



# 20M SERIES

ESD CLEANROOM VINYL



AM20M-VCC



AM22M-VCC



PM20M-VCC



PM22M-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AM20M-VCC	ESD-Cleanroom	21"-31"	20"W x 18"D	16"W x 16"H	20"	Polished Aluminum	No	9
AM22M-VCC	ESD-Cleanroom	17"-22"	20"W x 18"D	16"W x 16"H	No	Polished Aluminum	No	9
PM20M-VCC	ESD-Cleanroom	21"-31"	20"W x 18"D	16"W x 16"H	20"	Black Nylon	Yes	1
PM22M-VCC	ESD-Cleanroom	17"-22"	20"W x 18"D	16"W x 16"H	No	Black Nylon	Yes	1

**Conductive Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgandy-461



AL20M-VCC



AL22M-VCC



PL20M-VCC



PL22M-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back


MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AL20M-VCC	ESD-Cleanroom	21"-31"	20"W x 18"D	15"W x 12"H	20"	Polished Aluminum	No	9
AL22M-VCC	ESD-Cleanroom	17"-22"	20"W x 18"D	15"W x 12"H	No	Polished Aluminum	No	9
PL20M-VCC	ESD-Cleanroom	21"-31"	20"W x 18"D	15"W x 12"H	20"	Black Nylon	Yes	1
PL22M-VCC	ESD-Cleanroom	17"-22"	20"W x 18"D	15"W x 12"H	No	Black Nylon	Yes	1

**Conductive Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgandy-461



AE20M-VCC



AE22M-VCC



PE20M-VCC



PE22M-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AE20M-VCC	ESD-Cleanroom	21"-31"	20"W x 18"D	19"W x 16.5"H	20"	Polished Aluminum	No	9
AE22M-VCC	ESD-Cleanroom	17"-22"	20"W x 18"D	19"W x 16.5"H	No	Polished Aluminum	No	9
PE20M-VCC	ESD-Cleanroom	21"-31"	20"W x 18"D	19"W x 16.5"H	20"	Black Nylon	Yes	1
PE22M-VCC	ESD-Cleanroom	17"-22"	20"W x 18"D	19"W x 16.5"H	No	Black Nylon	Yes	1

**Conductive Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgandy-461



DLC



ST



FLC

Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle)
ST	Height and Seat and Back Tilt ( This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with knob)
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back)



FR04



FR05



FR06

Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring. (option for models 10, 20M and 20W)
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



TF-BX-C



TA-BX-C



TAA-BX-C

Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



9B



9U



9UB



11

Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility



# 20W SERIES

ESD CLEANROOM VINYL



AE20W-VCC



AE22W-VCC



PE20W-VCC



PE22W-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back


MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AE20W-VCC	ESD-Cleanroom	21"-31"	21.5" W x 18" D	19" W x 16.5" H	20"	Polished Aluminum	No	9
AE22W-VCC	ESD-Cleanroom	17"-22"	21.5" W x 18" D	19" W x 16.5" H	No	Polished Aluminum	No	9
PE20W-VCC	ESD-Cleanroom	21"-31"	21.5" W x 18" D	19" W x 16.5" H	20"	Black Nylon	Yes	1
PE22W-VCC	ESD-Cleanroom	17"-22"	21.5" W x 18" D	19" W x 16.5" H	No	Black Nylon	Yes	1

**Conductive Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IS™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IS™ dual resistance system.

**Isstat Group IV Vinyls ESD**

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411

Black-451

Burgandy-461



AL20W-VCC



AL22W-VCC



PL20W-VCC



PL22W-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back


MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AL20W-VCC	ESD-Cleanroom	21"-31"	21.5" W x 18" D	15" W x 12" H	20"	Polished Aluminum	No	9
AL22W-VCC	ESD-Cleanroom	17"-22"	21.5" W x 18" D	15" W x 12" H	No	Polished Aluminum	No	9
PL20W-VCC	ESD-Cleanroom	21"-31"	21.5" W x 18" D	15" W x 12" H	20"	Black Nylon	Yes	1
PL22W-VCC	ESD-Cleanroom	17"-22"	21.5" W x 18" D	15" W x 12" H	No	Black Nylon	Yes	1

**Conductive Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IS™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IS™ dual resistance system.

**Isstat Group IV Vinyls ESD**

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgandy-461



AM20W-VCC



AM22W-VCC



PM20W-VCC



PM22W-VCC

Super Heavy Duty 450 lbs, Capacity, 3" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
AM20W-VCC	ESD-Cleanroom	21"-31"	21.5"W x 18"D	16"W x 16"H	20"	Polished Aluminum	No	9
AM22W-VCC	ESD-Cleanroom	17"-22"	21.5"W x 18"D	16"W x 16"H	No	Polished Aluminum	No	9
PM20W-VCC	ESD-Cleanroom	21"-31"	21.5"W x 18"D	16"W x 16"H	20"	Black Nylon	Yes	1
PM22W-VCC	ESD-Cleanroom	17"-22"	21.5"W x 18"D	16"W x 16"H	No	Black Nylon	Yes	1

**Conductive Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system.

**Isstat Group IV Vinyls ESD**

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgandy-461



DLC



ST



FLC

Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle adjustment and back height adjustment with knob)
ST	Height and Seat and Back Tilt ( This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with knob)
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back tilt adjustment and height back adjustment with knob and a seat tension knob)



FR04



FR05



FR06

Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring. (option for models 10, 20M and 20W)
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



TF-BX-C



TA-BX-C



TAA-BX-C

Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



9B



9U



9UB



11

Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is Not Occupied
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard Surfaces
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is Not Occupied
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility



# 45 SERIES

ESD CLEANROOM VINYL



A45-VCC



A47-VCC



P45-VCC



P47-VCC

Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding on Seat and Back for a good Protection of Fabric and Vinyl.

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
A45-VCC	ESD-Cleanroom Vinyl	21"-31"	18"W x 17"D	15.5"W x 13"H	18"	Polished Aluminum	No	9
A47-VCC	ESD-Cleanroom Vinyl	17"-22"	18"W x 17"D	15.5"W x 13"H	No	Polished Aluminum	No	9
P45-VCC	ESD-Cleanroom Vinyl	21"-31"	18"W x 17"D	15.5"W x 13"H	18"	Black Nylon	Yes	1
P47-VCC	ESD-Cleanroom Vinyl	17"-22"	18"W x 17"D	15.5"W x 13"H	No	Black Nylon	Yes	1

**Conductive Cleanroom Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IST™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IST™ dual resistance system

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgandy-461



DLC



ST



FLC

Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle adjustment and back height adjustment with knob)
ST	Height and Seat and Back Tilt ( This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with knob)
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back tilt adjustment and height back adjustment with knob and a seat tension knob)



FR04



FR05



FR06

Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring. (option for models 10, 20M and 20W)
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



TF-BX-C



TA-BX-C



TAA-BX-C

Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



9B



9U



9UB



11

Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility



# 50 SERIES

ESD CLEANROOM VINYL



50-VCD



52-VCD

Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
50-VCD	ESD-Cleanroom Vinyl	19"-27"	18"W x 17"D	15"W x 12"H	18"	Black Nylon	Yes	1
52-VCD	ESD-Cleanroom Vinyl	17"-22"	18"W x 17"D	15"W x 12"H	No	Black Nylon	Yes	1

**Conductive Cleanroom Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IS™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IS™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgundy-461



DLC



ST



FLC

Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle adjustment and back height adjustment with knob)
ST	Height and Seat and Back Tilt ( This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with knob)
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back tilt adjustment and height back adjustment with knob and a seat tension knob)



FR04



FR05



FR06

Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring. (option for models 10, 20M and 20W)
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



TF-BX-C



TA-BX-C



TAA-BX-C

Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



1B



1U



1UB



2

Caster	Description
1B	Braking Caster , Recommended where Chairs may roll to easily when is Not Occupied
1U	Soft Urethane Caster, Recommended on Tile, Cement and other Hard Surfaces
1UB	Soft Urethane Braking Caster, Recommended for reduce Mobility when is Not Occupied
2	Nylon Glide, Recommended for use in areas where requiring limited mobility



# 60 SERIES

ESD CLEANROOM VINYL



A60-VCC



A62-VCC



P60-VCC



P62-VCC

Super Heavy Duty 300 lbs, Capacity, 2.5" High Resilient Density Foam for Better Comfort, Rubber Edge Banding Protection on Seat & Back

MODEL	Upholstery Type	Height Adjustment	Seat Dimensions	Back Dimensions	Footring	Base	Drag Chain	Caster
A60-VCC	ESD-Cleanroom Vinyl	21"-31"	18"W x 17"D	15"W x 12"H	18"	Polished Aluminum	No	9
A62-VCC	ESD-Cleanroom Vinyl	17"-22"	18"W x 17"D	15"W x 12"H	No	Polished Aluminum	No	9
P60-VCC	ESD-Cleanroom Vinyl	21"-31"	18"W x 17"D	15"W x 12"H	18"	Black Nylon	Yes	1
P62-VCC	ESD-Cleanroom Vinyl	17"-22"	18"W x 17"D	15"W x 12"H	No	Black Nylon	Yes	1

**Conductive Cleanroom Seating Features:**

Industrial Seating™conductive seating insures a safe, static-clear work area. All IS™ conductive seating models are equipped with conductive seat cushions, Back cushions, as well as all metal parts and the IS™ dual resistance system.

Isstat Group IV Vinyls ESD

- Surface Resistance: 10<sup>7</sup> to 10<sup>9</sup> Ohms per Square.
- Flamability: Pass California Tech Bulletin 117
- Carbon Filled Inner Layer



Blue-411 | Black-451 | Burgundy-461



DLC



ST



FLC

Controls	Description
DLC	Height and Back Tilt (This control has two levers for seat height and back angle adjustment and back height adjustment with knob)
ST	Height and Seat and Back Tilt ( This control has two levers, one for height adjustment and the other for Seat and Back tilt adjustment and back height with knob)
FLC	Three Lever for Individual Lift ( Height lever adjustment, seat tilt adjustment back tilt adjustment and height back adjustment with knob and a seat tension knob)



FR04



FR05



FR06

Footring	Description
FR04	Knobless Nylon Footring 18" The Footring is Loosened and Tightened by Turning the Outer Ring. (option for models 20S, 45, 50 and 60)
FR05	Knobless Aluminum with Steel Ring 20" The Footring is Loosened and Tightened by Turning the Outer Footring. (option for models 10, 20M and 20W)
FR06	Nylon Center with Steel Ring, Footring 18" (option for models 20S, 45, 50 and 60)



TF-BX-C



TA-BX-C



TAA-BX-C

Arms	Description
TF-BX-C	Fixed Height and Width, with Chrome Arm Frames & ESD Arm Pads
TA-BX-C	Fixed Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads
TAA-BX-C	Adjustable Height and Adjustable Width, with Chrome Arm Frames & ESD Arm Pads



9B



9U



9UB



11

Caster	Description
9B	ESD Braking Caster , Recommended where Chairs may roll to easily when is
9U	ESD Soft Urethane Caster, Recommended on Tile, Cement and other Hard
9UB	ESD Soft Urethane Braking Caster, Recommended for reduce Mobility when is
11	ESD Nylon Glide, Recommended for use in areas where requiring limited mobility