
# **Material Safety Data Sheet**







## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type:

Company address:

Henkel Corporation

Rocky Hill, Connecticut 06067

One Henkel Way

455 Prism® Low Odor/Low Bloom Gel Instant Adhesive Cyanoacrylate

w Bloom Gel IDH number:

135258

Item number:17421Region:United StatesContact information:Telephone:860.571.5100MEDICAL EMERGENCY Phone:Poison Control Center1-877-671-4608 (toll free) or1-303-592-1711TRANSPORT EMERGENCY Phone:CHEMTREC1-800-424-9300 (toll free) or1-703-527-3887Internet:www.henkelna.com

### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW				
Color:	Gel Light yellow, Cloudy Negligible	HMIS: HEALTH: FLAMMABILITY: PHYSICAL HAZARD: Personal Protection:	2 2 1 See MSDS Section 8	
WARNING:	BONDS SKIN IN SECO COMBUSTIBLE LIQUI MAY CAUSE EYE, SK			
Relevant routes of exposure	Skin, Inhalation, Eyes			
Potential Health Effects				
Inhalation:		ove the established exposure limit re-		
Skin contact:	Bonds skin in seconds allergic reaction but du Cyanoacrylates genera	breathing and tightness in the chest. May cause skin irritation. Cyanoac e to rapid polymerization at the skin s ate heat on solidification. In rare circul loes not present a health hazard ever	rylates have been reported to cause surface, an allergic response is rare. mstances a large drop will burn the	
Eye contact: Ingestion:	Irritating to eyes. Caus	es excessive tearing. Eyelids may bo mful by ingestion. Rapidly polymerize	nd.	
Existing conditions aggrava exposure:	ted by Eye, skin, and respirate	ory disorders.		
	This material is conside 1910.1200).	ered hazardous by the OSHA Hazard	Communication Standard (29 CFR	

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
Beta-Methoxyethyl Cyanoacrylate	27816-23-5	60 - 100
Filler	Proprietary	1 - 5
Thickener	Proprietary	1 - 5

	4. FIRST AID MEASURES
Inhalation:	Move to fresh air. If symptoms persist, seek medical advice. Move to fresh a If breathing is difficult, give oxygen. If not breathing, give artificial respiration. symptoms develop and persist, get medical attention.
Skin contact:	Do not pull bonded skin apart. Soak in warm soapy water. Gently peel apart using a blunt instrument. If skin is burned due to the rapid generation of hea by a large drop, seek medical attention. If lips are bonded, apply warm water to the lips and encourage wetting and pressure from saliva in mouth. Peel or roll lips apart. Do not pull lips apart with direct opposing force.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. Get medical attention. If eyelids are bonded closed, release eyelashes with warm water l covering with a wet pad. Do not force eye open. Cyanoacrylate will bond to eye protein and will cause a lachrymatory effect which will help to debond th adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Medical attention should be sought in case solid particles of polymeriz cyanoacrylate trapped behind the eyelid caused abrasive damage.
Ingestion:	Ensure breathing passages are not obstructed. The product will polymerize rapidly and bond to the mouth making it almost impossible to swallow. Saliva will separate any solidified product in several hours. Prevent the patient from swallowing any separated mass.
Notes to physician:	Surgery is not necessary to separate accidentally bonded tissues. Experience has shown that bonded tissues are best treated by passive, non-surgical first aid. If rapid curing has caused thermal burns they should be treated symptomatically after adhesive is removed.
	5. FIRE FIGHTING MEASURES

Flash point:	80 - 93.3 °C (176°F - 199.94 °F) Tagliabue closed cup
Autoignition temperature:	Not determined
Flammable/Explosive limits - lower:	Not determined
Flammable/Explosive limits - upper:	Not determined
Extinguishing media:	Foam, extinguishing powder, carbon dioxide.
Special firefighting procedures:	Wear a self-contained breathing apparatus with a full face piece operated in pressure-demand or other positive pressure mode.
Unusual fire or explosion hazards:	None
Hazardous combustion products:	Trace amounts of toxic and/or irritating fumes may be released and the use of breathing apparatus is recommended.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Ventilate area. Do not allow product to enter sewer or waterways.
Clean-up methods:	Do not use cloths for mopping up. Flood with water to complete polymerization and scrape off the floor. Cured material can be disposed of as non-hazardous waste.

### 7. HANDLING AND STORAGE

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Avoid contact with fabric or paper goods. Contact with these materials may cause rapid polymerization which can generate smoke and strong irritating vapors, and cause thermal burns.

Storage:

Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Beta-Methoxyethyl Cyanoacrylate	None	None	None	0.2 ppm TWA
Filler	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None
Thickener	None	None	None	None
Engineering controls: Respiratory protection:	Use positive down-draft exhaust ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits. In circumstances where exposure to cyanoacrylate vapors cannot be controlled by ventilation a NIOSH approved respirator with an organic vapor cartridge can be used. When such a respirator is used cartridge function must be monitored frequently as the cyanoacrylate vapor will polymerize and the filter will become blocked. For that reason we strongly recommend that adequate ventilation is in place so a respirator will not be needed.			
Eye/face protection:	Safety goggles	s or safety glasses with	n side shields.	
Skin protection:	Use nitrile glov PVC, nylon or	res and aprons as nece cotton.	essary to prevent con	tact. Do not use

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Gel
Color:	Light yellow, Cloudy
Odor:	Negligible
Odor threshold:	Not available.
pH:	Not applicable
Vapor pressure:	< 0.2 mm hg
Boiling point/range:	> 149 °C (> 300.2 °F)
Melting point/ range:	Not determined
Specific gravity:	1.1
Vapor density:	3 Approximately
Flash point:	80 - 93.3 °C (176°F - 199.94 °F) Tagliabue closed cup
Flammable/Explosive limits - lower:	Not determined
Flammable/Explosive limits - upper:	Not determined
Autoignition temperature:	Not determined
Evaporation rate:	Not available.
Solubility in water:	Polymerises in presence of water.
Partition coefficient (n-octanol/water):	Not applicable
VOC content:	< 2 %; < 20 g/l (California SCAQMD Method 316B) (Estimated)

	10 STAD		REACTIVITY	
	10. 31AB		REACTIVIT	
Stability:		Stable under re	commended storage conditions.	
Hazardous reactions:		Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.		
Hazardous decomposition product	None			
Incompatible materials:		Water, amines,	alkalis and alcohols.	
Conditions to avoid:		Spontaneous po	olymerization.	
1	1. TOXICO		INFORMATION	
Acute oral product toxicity:		LD50 (rat) > 5,0	000 mg/kg (Estimated)	
Acute dermal product toxicity:		LD50 (rabbit) >	2,000 mg/kg (Estimated)	
Hazardous components	NTP Carcinogen		IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Beta-Methoxyethyl Cyanoacrylate	N	0	No	No
Filler	N		No	No
Thickener	N	0	No	No
Hazardous components			Health Effects/Target	Organs
Beta-Methoxyethyl Cyanoacrylate		Irritant, Allergen		
Filler Thickener		Irritant Irritant		
THICKEHEI			Initant	
	12. ECOL	OGICAL IN	FORMATION	
Ecological information: Not known.				
	13. DISPO	SAL CONS	DERATIONS	
I	Information pro	vided is for un	used product only.	
Recommended method of disposa	Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.			ulations for disposal.
Hazardous waste number:		Not a RCRA ha	zardous waste.	
14. TRANSPORT INFORMATION				
U.S. Department of Transportation Ground (49 CFR)   Proper shipping name: Combustible liquid, n.o.s. (Cyanoacrylate ester)   Hazard class or division: Combustible Liquid   Identification number: NA 1993   Packing group: III				
International Air Transportation (ICAO/IATA) Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)   Proper shipping name: Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)   Hazard class or division: 9   Identification number: UN 3334   Packing group: III   Exceptions: Primary packs containing less than 500ml are unregulated by this mode of transport and may be shipped unrestricted.				

Water Transportation (IMO/IMDG) Proper shipping name: Hazard class or division: Identification number: Packing group:	Not regulated None None None	
	15. REGULATORY INFORMATION	
	13. REGULATORT IN ORMATION	
United States Regulatory Information		
TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.	
TSCA 12(b) Export Notification:	None above reporting de minimus	
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA 313:	None above reporting de minimis Immediate Health, Fire, Reactive This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Beta-Methoxyethyl Cyanoacrylate (CAS# 27816-23-5).	
California Proposition 65:	No California Proposition 65 listed chemicals are known to be present.	
Canada Regulatory Information		
CEPA DSL/NDSL Status:	Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities Please contact Regulatory Affairs for additional details.	
WHMIS hazard class:	B.3, D.2.B	
16. OTHER INFORMATION		

This material safety data sheet contains changes from the previous version in sections: 1, 2, 15

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.