



Datasheet

Art.No. 56.202.0055.0

Feed-through terminal WTP 1,5

Feed-through DIN rail terminal block with push in type connection for mounting on TS 35; cross section 1.5 mm^2 ; width 3.5 mm; color gray



Art.No.	56.202.0055.0
EAN	4049088359385
Order unit	100 pieces

Approvals

Technical data

General

Nominal cross section	1.5 mm²
Colour	Grey
Number of clamp positions per level	2
Width/grid dimension	3.5 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0

Technical data

Rated current	17.5 A
Rated voltage	500 V
Rated impulse voltage	6 kV
Pollution degree	3
Type of insulation material	Thermoplastic
Length	46 mm
Width	3.5 mm
Height	32 mm

Connection Data

Connection type	Plug-in connection
Connection type 1	Plug-in connection
Minimum cross section solid	0.14 mm ²
Maximum cross section solid	2.5 mm ²
Minimum cross section fine stranded	0.14 mm ²
Maximum cross section fine stranded	1.5 mm ²
Minimum cross section stranded	0.14 mm²
Maximum cross section stranded	25 mm²





Maximum conductor cross section (flex., stranded) with cable end sleeve	0.2 mm ²
Maximum conductor cross section (flex., stranded) with cable end sleeve	1.5 mm ²
Wire strip length	8 mm

Classification

ECLASS 8.1	27141120: Feed-through terminal block	
ETIM 5.0	EC000897: Feed-through terminal block	
ETIM 4.0	EC000897: Feed-through terminal block	
ETIM 3.0	EC000897: Feed-through terminal block	

Accessories / components

Art.No.:	Type:	Description
04.344.2355.8	Warning cover AD WTP 2,5	Cover with warning symbol for DIN rail terminal blocks
		type WTP 2,5, color yellow





Drawings

