

### **BUILD YOUR CHAIR**



MOST POPULAR SERIES			
10	20"W x 18"D, Capacity, 3" High Resilient Density Foam		
20S	18"W x 18"D, Capacity, Waterfall Front Contour Seat,		
	2.5" High Resilient Density Foam		
20M	20"W x 18"D, Capacity, Waterfall Front Contour Seat,		
	3" High Resilient Density Foam		
20W	21.5"W x 18"D, Capacity, 3" High Resilient Density Foam		
45	18"W x 17"D, Capacity, Waterfall Front Contour Seat,		
	2.5" High Resilient Density Foam		
50	18"W x 17"D, Capacity, 3" High Resilient Density Foam		
60	18"W x 17"D, Capacity, 2.5" High Resilient Density Foam		
65	Stool with 15-1/2" Round Swivel, Capacity, 3" High Resilient		
	Density Foam		



F	FABRIC – Fabric chairs are designed for use in production areas, offices, waiting rooms, schools and home offices.
FC	FABRIC CONDUCTIVE – ESD chairs are designed for environments requiring static control, such laboratories and electronics manufacturing.
DF 5. COVERINGS	DISSIPATIVE FABRIC – ESD protection in a light weight, durable conductive fabric with carbon fibers woven into polyester fabric.
V	VINYL – Vinyl chairs are ideal for use in production areas, offices, waiting rooms, schools and home offices.
VCR	FABRIC CONDUCTIVE – ESD chairs are designed for environments requiring static control, such laboratories and electronics manufacturing.
VCC	DISSIPATIVE FABRIC – ESD protection in a light weight, durable conductive fabric with carbon fibers woven into polyester fabric.
VCD	DISSIPATIVE CLEANROOM VINYL – Cleanroom-grade ESD chairs layered with carbon and ideal for laboratories and electronics manufacturing.
	STD Single lever gas cylinder to adjust seat height. Includes knob to adjust back rest height.
6. MECHANISMS	ST Two levers to adjust seat height and back rest angle. Includes knob to adjust back rest height.
	FLC Three levers to adjust seat height, seat tilt and back rest angle. Includes knobs to adjust back rest height and seat tension.

### MECHANISM OPTIONS




## 6. COLOURS



# 6. SPECIAL OPTIONS

SOFT BLACK	RA	RACETRACK LOOP STYLE
URETHANE	TF	FIXED HEIGHT, FIXED WIDTH
ARMS	ТАА	ADJ HEIGHT, ADJ WIDTH
	ТА	FIXED HEIGHT, ADJ WIDTH
ESD ARM	BX	ESD SOFT ARM PADS
OPTIONS	C	ESD ARM FRAMES
LUMBAR SUPPORT	LUM	PUSHBUTTON FIRMNESS ADJUSTMENT FOR MEDIUM AND HIGH BACKS
	1B –	BRAKING CASTERS
CASTER/ GLIDE	10	SOFT URETHANE CASTERS
UPGRADES	1UB	SOFT URETHANE BRAKING CASTERS
	RB	REVERSE BRAKING CASTERS
	G	GLIDES
	9B	ESD BRAKING CASTER
	9U	ESD SOFT URETHANE CASTER
	9UB	ESD SOFT URETHANE BRAKING CASTER
	8/8B	ESD SOLID ZINC CASTER
	11	ESD GLIDES
	DC	NO ESD CASTERS



\*Footrings standard on 10, 20M and 20W Series. Optional on models 20S, 45, 50 and 60.

#### FOOTRING OPTIONS





